

Food and Beverage Classification System

Nutrient Framework for Schools

Occasional foods

There are certain foods that automatically fall into the occasional category due to these foods being too high in energy and/or saturated fat and/or added sugar and/or sodium and provide minimal nutritional value.

For school children these foods and beverages are:

1. confectionery¹
2. deep-fried foods
3. full-sugar and artificially sweetened energy drinks²
4. full-sugar drinks
5. foods and beverages containing caffeine >56mg/serve

There are other foods and beverages that are not recommended for sale or provision in schools. These are any foods and beverages labelled with “not recommended for children”, “dietary supplement” or contain caffeine. The Ministry of Health and Ministry of Education also recommends schools be plain water and reduced-fat milk only.

Notes:

- This framework is for school-aged children.
 - Products must meet all criteria to be classified as either everyday or sometimes.
 - The symbol > means greater than.
 - The symbol < means less than.
 - The symbol ≥ means greater than or equal to.
 - The symbol ≤ means less than or equal to.
-
1. Confectionery includes a range of sugar-based products, including boiled sweets (hard glasses), fatty emulsions (toffees and caramels), soft crystalline products (fudges), fully crystalline products (fondants), gels (gums, pastilles, and jellies), and chocolate.
 2. An energy drink is a non-alcoholic water-based flavoured beverage which contains caffeine and may contain carbohydrates, amino acids, vitamins and other substances, including other foods, for the purpose of enhancing mental performance.

Product Category	Classification		
Beverages [#]	Everyday	Sometimes	Occasional
Water	All plain water with nothing added	Not applicable	Not applicable

[#] The Ministry of Health and Ministry of Education recommends schools be plain water and reduced-fat milk only.

Product Category	Classification		
Vegetables and fruit	Everyday	Sometimes	Occasional
Fresh, canned and frozen vegetables and/or vegetable mixes Excludes potato, kumara, taro and tapioca.	No added fat	Saturated fat ≤ 1.5g/100g	Saturated fat > 1.5g/100g
Potato, kumara, taro and tapioca Examples include fresh, frozen or mashed potato, kumara, taro and/or tapioca products.	No added fat No added salt	Energy ≤ 1000kJ/100g Saturated fat ≤ 5g/100g Sodium ≤ 450mg/100g	Energy > 1000kJ/100g Saturated fat > 5g/100g Sodium > 450mg/100g
Fresh, frozen and canned fruit, fruit tubs and puréed fruit	≥ 85% fruit content* No added fat No added salt No artificial sweetener or ≥ 60% fruit content* No added fat No added salt No added sugar^ or artificial sweetener	All other fresh, frozen and canned fruit, fruit tubs and puréed fruit	Not applicable

* Fruit content includes whole fruit, fruit pieces and fruit purée

^ Added sugar includes concentrated, refined and deionised fruit juice

Product Category	Classification		
Breads and cereals	Everyday	Sometimes	Occasional
Rice, pasta, noodles and couscous Examples include fresh and dried pasta, rice, couscous, noodle cups/instant noodles, rice risotto and savoury rice, and canned spaghetti.	No added fat No added salt	Energy ≤ 1000kJ/100g Saturated fat ≤ 1.5g/100g Sodium ≤ 450mg/100g	Energy > 1000kJ/100g Saturated fat > 1.5g/100g Sodium > 450mg/100g

Breads or bread products and fruit breads Examples include all wholemeal, wholegrain, multigrain and white breads, muffin splits, crumpets, bagels, wraps, flat breads, rolls, fruit breads, non-iced buns, rewena bread, fa'apapa, garlic bread and croissants.	Saturated fat ≤ 1.5g/100g Sodium ≤ 450mg/100g Fibre ≥ 3g/100g	Saturated fat ≤ 4g/100g	Saturated fat > 4g/100g
Breakfast cereals Examples include wheat biscuits, bran, rice and corn flakes and bubbles, rolled oats and muesli.	Saturated fat ≤ 1.5g/100g Sugar ≤ 15g/100g (≤ 20g/100g for cereals containing fruit) Sodium ≤ 450mg/100g Fibre ≥ 8g/100g	Saturated fat ≤ 4g/100g Sugar ≤ 20g/100g (≤ 25g/100g for cereals containing fruit) Sodium ≤ 600mg/100g Fibre ≥ 4g/100g	Saturated fat > 4g/100g Sugar > 20g/100g (> 25g/100g for cereals containing fruit) Sodium > 600mg/100g Fibre < 4g/100g

Product Category	Classification		
Milk and milk products	Everyday	Sometimes	Occasional
Milk* Examples include plain cow's milk, soy milk, goat's and rice milk.	Total fat ≤ 2.0g/100ml	Total fat ≤ 3.3g/100ml	Total fat > 3.3g/100ml
Cheese Soft and hard cheese. Examples include ricotta, cottage cheese, cheddar, cheese slices and cream cheese.	Saturated fat ≤ 5g/100g Sodium ≤ 450mg/100g	All other cheeses	Not applicable
Milk-based snack foods Examples include yoghurt, custards, dairy desserts and creamed rice, and soy versions of these items.	Energy ≤ 600kj/serve Saturated fat ≤ 1.5g/serve Total sugar ≤ 15g/100g	Energy ≤ 1000kj/serve Saturated fat ≤ 3g/serve Total sugar ≤ 17g/100g	Energy > 1000kj/serve Saturated fat > 3g/serve Total sugar > 17g/100g

* Excludes cream. For recommendations on the use of cream see the catering guidelines.

Product Category	Classification		
Meat, fish, seafood, poultry and meat alternatives	Everyday	Sometimes	Occasional
Fresh, frozen, canned and pouched fish and seafood Examples include plain fish fillets and plain and flavoured canned and pouched tuna.	No added fat No added oil Sodium ≤ 500mg/100g	Energy ≤ 1000kJ/100g Saturated fat ≤ 5g/100g Sodium ≤ 500mg/100g	Energy > 1000kJ/100g Saturated fat > 5g/100g Sodium > 500mg/100g
Processed meat, fish, poultry and seafood products Examples include mince meat patties, crumbed or coated poultry and fish, fish patties, fish fingers, surimi, and other processed seafood.	Not applicable	Energy ≤ 1000kJ/100g Saturated fat ≤ 5g/100g Sodium ≤ 450mg/100g	Energy > 1000kJ/100g Saturated fat > 5g/100g Sodium > 450mg/100g
Meat, poultry and eggs Examples include plain beef, lamb, pork, chicken and turkey, plain mince (with no added ingredients) and egg dishes.	Visibly lean, unprocessed meat and poultry Eggs cooked with no added fat and no added salt	All other unprocessed meat and poultry and egg dishes	Not applicable
Ready-to-eat sandwich meats Examples include ham, salami, and luncheon and luncheon-type meats.	Not applicable	Saturated fat ≤ 2g/100g Sodium ≤ 1090mg/100g	Saturated fat > 2g/100g Sodium > 1090mg/100g
Sausages, frankfurters and saveloys	Not applicable	Saturated fat ≤ 7.5g/100g Sodium ≤ 800mg/100g	Saturated fat > 7.5g/100g Sodium > 800mg/100g
Meat alternatives (vegetarian options) Examples include vegetarian 'meats' and 'sausages', nutmeat, falafel, tofu and tempeh.	Total fat ≤ 10g/100g Saturated fat ≤ 5g/100g Sodium ≤ 450mg/100g	Sodium ≤ 800mg/100g	Sodium > 800mg/100g

Dried and canned peas, beans and lentils (pulses) Examples include lentils, split peas, chickpeas, red kidney beans, baked beans, canned bean mixes, and flavoured dried peas and beans.	No added fat	Saturated fat ≤ 5g/serve	Saturated fat > 5g/serve
--	--------------	--------------------------	--------------------------

Product Category	Classification		
Mixed meal dishes	Everyday	Sometimes	Occasional
Mixed meal items Items that are a combination of foods from one or more food groups. These are promoted as standalone items that are consumed on their own or as the main item of a meal. Examples include pizza, pasta dishes including filled pasta, lasagne and macaroni cheese, sushi, calzones, hotdogs and hamburgers.	<i>Primary</i> Energy ≤ 800kj/100g Energy ≤ 1500kj/serve Saturated fat ≤ 3g/100g Sodium ≤ 350mg/100g Sodium ≤ 700mg/serve <i>Secondary</i> Energy ≤ 800kj/100g Energy ≤ 2000kj/serve Saturated fat ≤ 3g/100g Sodium ≤ 350mg/100g Sodium ≤ 700mg/serve	<i>Primary</i> Energy ≤ 1200kj/100g Energy ≤ 1800kj/serve Saturated fat ≤ 5g/100g Sodium ≤ 450mg/100g Sodium ≤ 800mg/serve <i>Secondary</i> Energy ≤ 1200kj/100g Energy ≤ 2200kj/serve Saturated fat ≤ 5g/100g Sodium ≤ 450mg/100g Sodium ≤ 800mg/serve	<i>Primary</i> Energy > 1200kj/100g Energy > 1800kj/serve Saturated fat > 5g/100g Sodium > 450mg/100g Sodium > 800mg/serve <i>Secondary</i> Energy > 1200kj/100g Energy > 2200kj/serve Saturated fat > 5g/100g Sodium > 450mg/100g Sodium > 800mg/serve
Soup All fresh, canned and powdered soups, soup mixes and chowders.	Saturated fat ≤ 1.5g/100ml Sodium ≤ 450mg/100ml Fibre ≥ 1g/100ml	Energy ≤ 1000kj/100ml Saturated fat ≤ 5g/100ml Sodium ≤ 450mg/100ml	Energy > 1000kj/100ml Saturated fat > 5g/100ml Sodium > 450mg/100ml
Filled sandwiches, rolls and wraps All filled bread, flavoured bread, flat bread and pita bread. Examples include sandwiches, filled rolls and wraps (such as those filled with salad or vegetables and lean meat).	Energy ≤ 1100kj/100g Energy ≤ 1500kj/serve Saturated fat ≤ 5g/serve Sodium ≤ 600mg/100g	Energy ≤ 1500kj/100g Energy ≤ 1800kj/serve Saturated fat ≤ 8g/serve Sodium ≤ 750mg/100g	Energy > 1500kj/100g Energy > 1800kj/serve Sat fat > 8g/serve Sodium > 750mg/100g
Pastry products Examples include savoury pies, sausage rolls, spring rolls, quiches and samosas.	Not applicable	Energy ≤ 1000kj/100g Energy ≤ 1500kj/serve Saturated fat ≤ 5g/100g Sodium ≤ 350mg/100g	Energy > 1000kj/100g Energy > 1500kj/serve Saturated fat > 5g/100g Sodium > 350mg/100g

Product Category	Classification		
Snack items	Everyday	Sometimes	Occasional
Sweet snack foods Examples include biscuits, bars, cereal bars and sweetened popcorn.	Not applicable	Energy ≤ 1900kJ/100g Energy ≤ 600kJ/serve Saturated fat ≤ 2g/serve Sodium ≤ 200mg/serve Fibre ≥ 1.0g/serve Total sugar ≤ 15g/serve	Energy > 1900kJ/100g Energy > 600kJ/serve Saturated fat > 2g/serve Sodium > 200mg/serve Fibre < 1.0g/serve Total sugar > 15g/serve
Savoury snack foods Examples include crackers, bars, chips, potato crisps (chippies), rice crackers and popcorn.	Not applicable	Energy ≤ 1800kJ/100g Energy ≤ 600kJ/serve Saturated fat ≤ 3g/serve Sodium ≤ 200mg/serve	Energy > 1800kJ/100g Energy > 600kJ/serve Saturated fat > 3g/serve Sodium > 200mg/serve
Baked snack foods Examples include cakes, pancakes, pikelets, iced buns, sweet and savoury muffins, scones and sweet pastries, for example, danish pastries and fruit pies. Excludes biscuits and pre-packaged bars.	Not applicable	Energy ≤ 1800kJ/100g Energy ≤ 900kJ/serve Saturated fat ≤ 3g/serve Sodium ≤ 450mg/serve for savoury and ≤ 300mg/serve for sweet Fibre ≥ 1.0g/serve Total sugar ≤ 25g/serve	Energy > 1800kJ/100g Energy > 900kJ/serve Saturated fat > 3g/serve Sodium > 450mg/serve for savoury and > 300mg/serve for sweet Fibre < 1.0g/serve Total sugar > 25g/serve
Dried fruit Any dried fruit sold as a mixture or sold separately.	Not applicable	Package size ≤ 30g Saturated fat ≤ 3g/serve	Package size > 30g Saturated fat > 3g/serve
Dried fruit, nut and seed mixtures Examples include any dried fruit and nut and/or seeds sold as a mixture or any nuts and/or seeds sold separately.	Package size ≤ 30g Saturated fat ≤ 3g/serve No added salt	Package size ≤ 30g Saturated fat ≤ 5g/serve Sodium ≤ 200mg/serve	Package size > 30g Saturated fat > 5g/serve Sodium > 200mg/serve

Vegetable and/or fruit derived products Examples include vegetable and/or fruit leathers and similar leather-type products, vegetable and/or fruit chips for example banana chips (excludes potato chips) and foods made with vegetable and/or fruit juice, paste or concentrate.	Not applicable	Package size ≤ 30g ≥ 95% vegetable and/or fruit Saturated fat ≤ 3g/serve	Package size > 30g < 95% vegetable and/or fruit Saturated fat > 3g/serve
Ice creams, iceblocks, frozen yoghurts and jellies Ices, iceblocks, ice creams, frozen yoghurts, gelato, slushees, fruit and jelly tubs, and jelly snacks.	Not applicable	Energy ≤ 600kJ/serve Saturated fat ≤ 3g/serve Total sugar ≤ 20g/100g	Energy > 600kJ/serve Saturated fat > 3g/serve Total sugar > 20g/100g

Product Category	Classification		
Fat & Oil Products	Everyday	Sometimes	Occasional
Edible Oil Spreads	Not applicable	Saturated fat and Trans fat ≤28% of total fats Trans fat < 1% of total fats Sodium ≤ 400mg/100g	Saturated fat and Trans fat >28% of total fats Trans fat >1% of total fats Sodium > 400mg/100g

Food and Beverage Classification System

Nutrient Framework for Early Learning Services

Occasional foods

There are certain foods that automatically fall into the occasional category due to these foods being too high in energy and/or saturated fat and/or added sugar and/or sodium and provide minimal nutritional value.

For early learning children these foods are:

1. confectionery¹
2. deep-fried foods
3. full-sugar and artificially sweetened energy drinks²
4. full-sugar and artificially sweetened carbonated beverages
5. flavoured water, fortified water and sports drinks³.

There are other foods and beverages that are not recommended for children and young people. These are any foods and beverages labelled with “not recommended for children”, coffee flavoured foods and beverages, and any food or beverage labelled “dietary supplement”. The Ministry of Health and Ministry of Education also recommends early learning services be plain water and plain milk only.

Notes:

- This early learning framework is for children aged 1–5 years only.
 - For children aged 0–1 years, refer to the Ministry of Health’s Food and Nutrition Guidelines for Healthy Infants and Toddlers (Aged 0–2).
 - Products must meet all criteria to be classified as either everyday or sometimes.
 - The symbol > means greater than.
 - The symbol < means less than.
 - The symbol ≥ means greater than or equal to.
 - The symbol ≤ means less than or equal to.
-
1. Confectionery includes a range of sugar-based products, including boiled sweets (hard glasses), fatty emulsions (toffees and caramels), soft crystalline products (fudges), fully crystalline products (fondants), gels (gums, pastilles, and jellies), and chocolate.
 2. An energy drink is a non-alcoholic water-based flavoured beverage which contains caffeine and may contain carbohydrates, amino acids, vitamins and other substances, including other foods, for the purpose of enhancing mental performance.
 3. A sports drink (electrolyte drink) is a drink formulated and represented as suitable for the rapid replacement of fluid, carbohydrates, electrolytes and minerals.

Product Category	Classification		
Beverages [#]	Everyday	Sometimes	Occasional
Water	All plain water with nothing added	Not applicable	Not applicable

[#] The Ministry of Health and Ministry of Education recommends schools be plain water and reduced-fat milk only.

Product Category	Classification		
Vegetables and fruit	Everyday	Sometimes	Occasional
Fresh, canned and frozen vegetables and/or vegetable mixes Excludes potato, kumara, taro and tapioca.	No added fat	Saturated fat ≤ 1.5g/100g	Saturated fat > 1.5g/100g
Potato, kumara, taro and tapioca Examples include fresh, frozen or mashed potato, kumara, taro and/or tapioca products.	No added fat No added salt	Energy ≤ 1000kJ/100g Saturated fat ≤ 5g/100g Sodium ≤ 450mg/100g	Energy > 1000kJ/100g Saturated fat > 5g/100g Sodium > 450mg/100g
Fresh, frozen and canned fruit, fruit tubs including fruit and jelly and puréed fruit	≥ 85% fruit content* No added fat No added salt No artificial sweetener or ≥ 60% fruit content* No added fat No added salt No added sugar^ or artificial sweetener	All other fresh, frozen and canned fruit ≥ 50% fruit content* for fruit tubs	< 50% fruit content* for fruit tubs

* Fruit content includes whole fruit, fruit pieces and fruit purée

^ Added sugar includes concentrated, refined and deionised fruit juice

Product Category	Classification		
Breads and cereals	Everyday	Sometimes	Occasional
Rice, pasta, noodles and couscous Examples include fresh and dried pasta, rice, couscous, noodle cups/instant noodles, rice risotto and savoury rice, and canned spaghetti.	No added fat No added salt	Energy ≤ 1000kJ/100g Saturated fat ≤ 1.5g/100g Sodium ≤ 450mg/100g	Energy > 1000kJ/100g Saturated fat > 1.5g/100g Sodium > 450mg/100g

Breads or bread products and fruit breads Examples include all wholemeal, wholegrain, multigrain and white breads, muffin splits, crumpets, bagels, wraps, flat breads, rolls, fruit breads, non-iced buns, rewena bread, fa'apapa, garlic bread and croissants.	Saturated fat ≤ 1.5g/100g Sodium ≤ 450mg/100g Fibre ≥ 3g/100g	Saturated fat ≤ 4g/100g	Saturated fat > 4g/100g
Breakfast cereals Examples include wheat biscuits, bran, rice and cornflakes and bubbles, rolled oats and muesli.	Saturated fat ≤ 1.5g/100g Sugar ≤ 15g/100g (≤ 20g/100g for cereals containing fruit) Sodium ≤ 450mg/100g Fibre ≥ 8g/100g	Saturated fat ≤ 4g/100g Sugar ≤ 20g/100g (≤ 25g/100g for cereals containing fruit) Sodium ≤ 600mg/100g Fibre ≥ 4g/100g	Saturated fat > 4g/100g Sugar > 20g/100g (> 25g/100g for cereals containing fruit) Sodium > 600mg/100g Fibre < 4g/100g

Product Category	Classification		
Milk and milk products	Everyday	Sometimes	Occasional
Cheese Soft and hard cheese. Examples include ricotta, cottage cheese, cheddar, cheese slices and cream cheese.	All cheeses	Not applicable	Not applicable
Milk-based foods except cheese Examples include yoghurt, custards, dairy desserts, creamed rice, frozen dairy products including ice-cream and frozen yoghurt, and soy	Energy ≤ 1000kJ/100g Energy ≤ 700kJ/serve Saturated fat ≤ 3g/100g Total sugar ≤ 17g/100g	Energy > 1000kJ/100g Saturated fat ≤ 5g/100g	Saturated fat > 5g/100g

Milk* (children aged 1–2 yrs) Examples include plain cow's, goat's and soy milks.	Total fat \geq 3.3g/100ml	Not applicable	Not applicable
Milk*^ (children aged 2–5 yrs) Examples include plain cow's, goat's and soy milks.	Total fat 0.5 – 3.3g/100ml	Total fat > 3.3g/100ml	Not applicable

* Excludes cream. For recommendations on the use of cream see the catering guidelines.

^ Introduction of reduced fat milks to children over 2 years of age is encouraged.

The Ministry of Health Food and Nutrition Guidelines for Healthy Infants and Toddlers (Aged 0–2) recommend breast milk, whole cow's milk and water as suitable sources of fluid in the diet of 1–2 year olds.

Product Category	Classification		
Meat, fish, seafood, poultry and meat alternatives	Everyday	Sometimes	Occasional
Fresh, frozen, canned and pouched fish and seafood Examples include plain fish fillets and plain and flavoured canned and pouched tuna.	No added fat No added oil Sodium \leq 500mg/100g	Energy \leq 1000kJ/100g Saturated fat \leq 5g/100g Sodium \leq 500mg/100g	Energy > 1000kJ/100g Saturated fat > 5g/100g Sodium > 500mg/100g
Processed meat, fish, poultry and seafood products Examples include mince meat patties, crumbed or coated poultry and fish, fish patties, fish fingers, surimi, and other processed seafood.	Not applicable	Energy \leq 1000kJ/100g Saturated fat \leq 5g/100g Sodium \leq 450mg/100g	Energy > 1000kJ/100g Saturated fat > 5g/100g Sodium > 450mg/100g
Meat, poultry and eggs Examples include plain beef, lamb, pork, chicken and turkey, plain mince (with no added ingredients) and egg dishes.	Visibly lean, unprocessed meat and poultry Eggs cooked with no added fat and no added salt	All other unprocessed meat and poultry and egg dishes	Not applicable
Ready-to-eat sandwich meats Examples include ham, salami, luncheon and luncheon-type meats.	Not applicable	Saturated fat \leq 2g/100g Sodium \leq 1090mg/100g	Saturated fat > 2g/100g Sodium > 1090mg/100g

Sausages, frankfurters and saveloys	Not applicable	Saturated fat ≤ 7.5g/100g Sodium ≤ 800mg/100g	Saturated fat > 7.5g/100g Sodium > 800mg/100g
Meat alternatives (vegetarian options) Examples include vegetarian 'meats' and 'sausages', nutmeat, falafel, tofu and tempeh.	Total fat ≤ 10g/100g Saturated fat ≤ 5g/100g Sodium ≤ 450mg/100g	Sodium ≤ 800mg/100g	Sodium > 800mg/100g
Dried and canned peas, beans and lentils (pulses) Examples include lentils, split peas, chickpeas, red kidney beans, baked beans, canned bean mixes, and flavoured dried peas and beans.	No added fat	Saturated fat ≤ 5g/serve	Saturated fat > 5g/serve

Product Category	Classification		
Mixed meal dishes	Everyday	Sometimes	Occasional
Mixed meal items Items that are a combination of foods from one or more food groups. These are promoted as stand-alone items that are consumed on their own or as the main item of a meal. Examples include pizza, pasta dishes including filled pasta, lasagne and macaroni cheese, sushi, calzones, hotdogs and hamburgers.	Energy ≤ 800kJ/100g Energy ≤ 1500kJ/serve Saturated fat ≤ 3g/100g Sodium ≤ 350mg/100g Sodium ≤ 700mg/serve	Energy ≤ 1200kJ/100g Energy ≤ 1800kJ/serve Saturated fat ≤ 5g/100g Sodium ≤ 450mg/100g Sodium ≤ 800mg/serve	Energy > 1200kJ/100g Energy > 1800kJ/serve Saturated fat > 5g/100g Sodium > 450mg/100g Sodium > 800mg/serve
Soup All fresh, canned and powdered soups, soup mixes and chowders.	Saturated fat ≤ 1.5g/100ml Sodium ≤ 450mg/100ml Fibre ≥ 1g/100ml	Energy ≤ 1000kJ/100ml Saturated fat ≤ 5g/100ml Sodium ≤ 450mg/100ml	Energy > 1000kJ/100ml Saturated fat > 5g/100ml Sodium > 450mg/100ml

Filled sandwiches, rolls and wraps All filled bread, flavoured bread, flat bread and pita bread. Examples include sandwiches, filled rolls and wraps (such as those filled with salad or vegetables and lean meat).	Energy ≤ 1100kJ/100g Energy ≤ 1500kJ/serve Saturated fat ≤ 5g/serve Sodium ≤ 600mg/100g	Energy ≤ 1500kJ/100g Energy ≤ 1800kJ/serve Saturated fat ≤ 8g/serve Sodium ≤ 750mg/100g	Energy > 1500kJ/100g Energy > 1800kJ/serve Saturated fat > 8g/serve Sodium > 750mg/100g
Pastry products Examples include savoury pies, sausage rolls, spring rolls, quiches and samosas.	Not applicable	Energy ≤ 1000kJ/100g Energy ≤ 1500kJ/serve Saturated fat ≤ 5g/100g Sodium ≤ 350mg/100g	Energy > 1000kJ/100g Energy > 1500kJ/serve Saturated fat > 5g/100g Sodium > 350mg/100g

Product Category	Classification		
Snack items	Everyday	Sometimes	Occasional
Sweet snack foods Examples include biscuits, bars, cereal bars and sweetened popcorn.	Not applicable	Energy ≤ 1900kJ/100g Energy ≤ 600kJ/serve Saturated fat ≤ 2g/serve Sodium ≤ 200mg/serve Total sugar ≤ 15g/serve	Energy > 1900kJ/100g Energy > 600kJ/serve Saturated fat > 2g/serve Sodium > 200mg/serve Total sugar > 15g/serve
Savoury snack foods Examples include crackers, bars, chips, potato crisps (chippies), rice crackers and popcorn.	Not applicable	Energy ≤ 1800kJ/100g Energy ≤ 600kJ/serve Saturated fat ≤ 3g/serve Sodium ≤ 200mg/serve	Energy > 1800kJ/100g Energy > 600kJ/serve Saturated fat > 3g/serve Sodium > 200mg/serve
Baked snack foods Examples include cakes, pancakes, pikelets, iced buns, sweet and savoury muffins, scones and sweet pastries, for example, danish pastries and fruit pies. Excludes biscuits and pre-packaged bars.	Not applicable	Energy ≤ 1800kJ/100g Energy ≤ 900kJ/serve Saturated fat ≤ 3g/serve Sodium ≤ 450mg/serve for savoury and ≤300mg/serve for sweet Fibre ≥ 1.0g/serve Total sugar ≤25g/serve	Energy > 1800kJ/100g Energy > 900kJ/serve Saturated fat > 3g/serve Sodium > 450mg/serve for savoury and > 300mg/serve for sweet Fibre < 1.0g/serve Total sugar > 25g/serve
Dried fruit Any dried fruit sold as a mixture or sold separately.	Not applicable	Package size ≤ 30g Saturated fat ≤ 3g/serve	Package size > 30g Saturated fat > 3g/serve

Vegetable and/or fruit derived products Examples include vegetable and/or fruit leathers and similar leather-type products, vegetable and/or fruit chips for example banana chips (excludes potato chips) and foods made with vegetable and/or fruit juice, paste or concentrate.	Not applicable	Package size \leq 30g \geq 95% vegetable and/or fruit Saturated fat \leq 3g/serve	Package size > 30g < 95% vegetable and/or fruit Saturated fat > 3g/serve
---	----------------	---	--

Product Category	Classification		
Fat & Oil Products	Everyday	Sometimes	Occasional
Edible Oil Spreads	Not applicable	Saturated fat and Trans fat \leq 28% of total fats Trans fat < 1% of total fats Sodium \leq 400mg/100g	Saturated fat and Trans fat > 28% of total fats Trans fat > 1% of total fats Sodium > 400mg/100g